

FO-Nummer / OM-Nummer		Druckdatum
1460-01-3476 /		2020-03-09
Fahrgestellnummer	VIN-Nummer	
B-301931	YV2A4DAAX2B301931	
Bauwoche	Confirmed delivery day	Planned arrival date
200140	2001414 (JJJJWWT)	
Letztes Update		
Chassis Unique Homologation Document	General Homologation Document	
Generelle Fahrgestellzeichnung	Zusätzliche Zeichnung(en)	
No chassis drawing found. See historical VBI as the specification is old.		
Reifen vorne	Reifen hinten	
315/80R22.5 L MICH XZE2	315/80R22.5 L MICH XDE2	

Kundenanpassungen

Bezeichnung	Beschreibung	Change Description
S99304	Typenschild und Reifenindex prüfen	
AP-+0425	CA System Id	

[+ Latest updates](#)

Technische Spezifikation

		ALLGEMEINES
Variante	Beschreibung	
WB3700	WHEELBASE 3700 MM	
04-TLV	HEAVY TRUCKS (FH/FM/VN/NH)	
TYPE-FH	HIGH TILT CAB	
4*2	4 WHEELS THEREOF 2 DRIVING	
TRACTOR	TRACTOR TYPE	
RC-SMOOTH	WELL MAINTAINED SURFACED ROADS >95 DRIVING DISTANCE	
GCW44.0	44.0 TONNES, GROSS COMBINATION WEIGHT	
CONC-BAS	BASIC CONCEPT	
ENG-VE12	12 L. PROPRIETARY ENGINE	
RAL13	REAR AXLE LOAD 13 TONNES (28660 LBS)	
RAP6740	XM = 6740 MM, REAR AXLE POS.	
STWPOS-L	STEERING WHEEL POS. LEFT HAND SIDE	
VW2600	2600 MM (103") VEHICLE WIDTH	
FAL6.7	FRONT AXLE LOAD 6.7 TONNES (14780 LBS)	
FAP3040	XM = 3040 MM, FRONT AXLE POS.	
UADR	WITHOUT ADR ADAPTION	
VERS-BAS	BASIC VERSION	
CHH-STD	CHASSIS HEIGHT STANDARD	
NR-80EC	80 DBA EC EXTERNAL NOISE	
		MOTOR
Variante	Beschreibung	
UEXSTACK	WITHOUT EXHAUST STACK	
EXSH-ST	EXHAUST HEAT SHIELD, STEEL	
EM-EC01	EUROPEAN COMMUNITY 2001 LEVEL EURO3	
ACL1ST	ONE STAGE AIR CLEANER (PRIMARY)	
UTURBOC	WITHOUT TURBO COMPOUND	
AIRRI-D	INDICATOR-LAMP ON DASHBOARD	
ENGR-C-B	ENGINE RUBBER CUSHION BASIC	
ENG-GEN5	ENGINE GENERATION 5	
UISD	WITHOUT IDLE SHUTDOWN TIME	
UFUFIWH	FUEL FILTER WITHOUT WATER HEATER	
UPTOM	WITHOUT PTO ENGINE MAX	
UPTOR	WITHOUT PTO ENGINE RESUME	
UBUGNET	WITHOUT BUG NET	
RADI-WID	WIDE RADIATOR (79 DM2)	
D12C420	3039 420BHP/ , 1950NM	
FTP-BAS	FUEL TANK POSITION BASIC	
VOLENG	VPT ENGINE	
ETOR2040	1981 NM - 2040 NM, ENGINE TORQUE RANGES	
CHOSE-RU	RUBBER COOLANT HOSE	
EBR-VEB	VPT ENGINE BRAKE INCLUDING EXHAUST PRESSURE GOVERNOR	
COOL-FIL	WITH FILTER/CONDITIONER	
FUELSEC1	SINGLE ENGINE MOUNTED FUEL FILTER	
RADI-ALU	RADIATOR, ALUMINIUM	
UFUELTF	WITHOUT FUEL TANK FILTER	
UAUXFUEL	WITHOUT AUX. FUEL SYSTEM EQUIPMENT	
LFUEL355	355 LITRE, LEFT SIDE FUEL TANK	
RFUEL625	625 LITRE, RIGHT SIDE FUEL TANK	
COOLC40	40 DEG C ATB COOLING CAPACITY	
USPEEDDU	WITHOUT DUAL SPEED LIMITER	
SPEED90	90 KM/H ROAD SPEED LIMITER (56MPH)	
FAN-VISC	VISCOUS FAN CLUTCH, AIR SENSING	
FP-FW	FUEL FILTER, WATER SEPARATOR, GENERIC	
AIRIN-HI	HIGH AIR INTAKE	
FUELCS-L	LUCAS FUEL CONTROL 9/12-LITRE ENGINES	
UENGPROT	WITHOUT ENGINE PROTECTION	
IDLE-BAS	IDLE CONTROL, BASIC	
FUELTD71	FUEL TANK, ROUND, DIAM. 710MM (28")	
UXTANK	WITHOUT EXTRA FUEL TANK	
TNK-DUAL	DUAL MOUNTED FUEL TANK	
FTANK-AL	FUEL TANK MATERIAL, ALUMINIUM	
FCAP-UL	NON-LOCKABLE FUEL TANK CAP	
MUF-HOR	HORIZONTAL MUFFLER	
EXD-LEFT	EXHAUST DIRECTION, LEFT	
UEAS	WITHOUT EXHAUST AFTERTREATMENT SYSTEM	
		ELEKTRIK, BELEUCHTUNG, INSTRUMENTE
Variante	Beschreibung	
UELCEPK	WITHOUT ELECTRICAL PREP.KIT	
BBOX-L	LHS BATTERY BOX	
BBOXC-BA	BASIC BATTERY BOX COVER	
2BATT170	2 BATTERIES, 170 AH	
24V	ELECTRICAL SYSTEM 24 VOLT	
TRANSF-H	VOLTAGE TRANSFORMER 11 AMP APPROXIMATELY	
LOWB-STD	STANDARD LOW BEAM	
FLASHL-A	FLASHING LIGHT AMBER	
HL-ASYMR	HEADLAMP ASYMMETRIC RIGHT HAND TRAFFIC	
DETECT-S	SMOKE DETECTOR IN CAB	
HORN-JER	AIR HORN TYPE JERICO	

DOL24S12	12VOLT DASH, SINGLE OUTLET WITH TRANSFORMER
RLIGHT-W	WHITE ROOF LIGHT (2 OR 5 LAMPS ON ROOF)
UWPREBOC	WITHOUT WIRE PREPARATION
5WLAMP-A	FIFTH WHEEL LAMP,AMBER LIGHT
GAUGE2M	GAUGE PACKAGE 24V MESSAGE CENTRE DISPLAY
UWARNLIG	WITHOUT WARNING LAMP
SPG-KM	KILOMETER/HOUR SPEEDOM. GRADUATION
AG-FUEL	FUEL ECONOMY METER
24STR-S	24V STANDARD (=THERMAL PROTECTED) STARTER
UESTAID	WITHOUT STARTING AID
TL-BAS	TAIL LAMP, BASIC
MAINSWI	ELECTROMECHANICAL MAIN SWITCH
FOGL-WC	WHITE FOG LAMP, CAB MOUNTED
DRIVL2EC	TWO DRIVING LAMPS WITH DIPPED BEAM
TSIGN-SC	SELF CANCELLING TURN SIGNAL
UHLADJ	WITHOUT HEADLAMP ADJUSTMENT
UHLCLEAN	WITHOUT HEADLAMP CLEANER
UIMMOBIL	WITHOUT IMMOBILIZER
UIDLAMP	WITHOUT IDENTIFICATION LAMP
USPEEDL	WITHOUT SPEED INDICATOR LAMP
COMBL-SI	COMBI. LAMP INCL. SIDE MARKER
MARKL-SR	BOTH SIDE AND REAR MARKER LAMP
DIFL-FRA	FIRST OPTION LANG.FRENCH
DISL-ENG	SECOND OPTION LANG.ENGLISH
UTIS	WITHOUT TRANSPORT INFORMATION SYSTEM
UTISAUX	WITHOUT AUXILIARY TRANSPORT INFORMATION SYSTEM
UKEYB	WITHOUT KEYBOARD
CIRCP-F	FUSE PROTECTION
TEMP-AMB	WITH GAUGE, AMBIENT TEMPERATURE
UTEMPTRA	WITHOUT GAUGE, TRANSMISSION LUBRICANT TEMPERATURE
UGAUGEAM	WITHOUT GAUGE AMPERE
24ALT-LB	24V LOW AMP - 55 BRUSH
SI-GRAFR	SPEED/TACHO/ODO/TACHOG/SPEEDG
1DAY-F	1 DAY FRA , TACHOGRAPH TYPE
CALI-EC	EC-APPROVED CALIBRATION
CABLE-EC	CABLE, EUROPEAN COMMUNITY
TLB-BAS	TAIL LAMP BRACKET, BASIC
ANT-CBPK	CB-RADIO ANTENNA PREPARATION KIT
SPK-DASH	SPEAKER LOCATION, DASHBOARD
RADIO-AV	STEREO RADIO AVI WITH CASSETTEPLAYER
UCBMOUNT	WITHOUT MOUNTING FOR CB RADIO
UBUPALAR	WITHOUT BACK-UP ALARM
UBUPMON	WITHOUT BACK-UP MONITOR
UVEBLIGH	VEB WITHOUT BRAKE LIGHT

ANTRIEBSSTRANG

Variante	Beschreibung
UPTOFLYW	WITHOUT PTO FLYWHEEL
UPTOF	WITHOUT PTO FLYWHEEL ADMIN.
UPTOESID	WITHOUT PTO ENGINE, SIDE
RAT3.08	RATIO 3.08, REAR AXLE
PROPS-M	PROP.SHAFT DIMENSION, MEDIUM, SINGLE JOINT
UPLF	WITHOUT FIRST PROP.SHAFT
UPLS	WITHOUT SECOND PROP.SHAFT
PLM1700	MAIN PROP.SHAFT LENGTH 1700
PSM-GKN	PROP.SHAFT MANUF. BY GKN
PROP-STD	AS REQUIRED ACC. TO VOLVO STD
UPSBRKT1	WITHOUT BRACKET
UPSBRKT2	WITHOUT BRACKET
UPSBP1	WITHOUT PROP.SHAFT 1 BRKT
UPSBP2	WITHOUT PROP.SHAFT 2 BRKT
MPRO-FXS	PROP.SHAFT, FLANGE X-SERRATION
SRED-V	SINGLE REDUCTION REAR AXLE, VPT
RSS1344B	SOLO AXLE SINGLE RED.13T, GCW44, B VERSION
RACAS-CA	CAST REAR AXLE CASING
GENRAX	GENERIC DESIGNED REAR AXLE
CL43S-O	1 PLATE 17" (430 MM) ORGANIC,
MECHTRAN	MECHANICAL TRANSMISSION
GSS-SR	SPLIT AND RANGE GEAR SHIFTING,ROD MANOEUVRED
VT2014	VOLVO TRANSMISSION 2000NM 14 SPEED
TRAN-V	VPT TRANSMISSION
UTCOOL	WITHOUT TRANSMISSION COOLER
UPTOTR	WITHOUT PTO TRANSM. MOUNTED
UCOOLPTO	WITHOUT COOLER, PTO FLYWHEEL
UPTOTRA	WITHOUT PTO TRANSMISSION
UPTOENGS	WITHOUT PTO ENGINE SIDE

BREMSEN

Variante	Beschreibung
FBRA-D43	DISC BRAKE DIAM. 430 MM
TBH-COL	TRAILER BRAKE HOSE COILED LONG(EU=4000MM, US=4570)
BSYS-EBS	BRAKE SYSTEM, ELECTRONIC
AUXPARK	AUXILIARY PARK, TWO EXTRA PARKING BRAKE CHAMBERS
BRAKE-DV	DISC BRAKE, PROPRIETARY
BRV-V1	BRAKE VALVE VERSION,GENERIC ALL EXCEPT INDIA AND BRAZIL
BRAD-BAS	BASIC BRAKE ADAPTION
BRCYL-V1	BRAKE CYLINDER VERSION,GENERICALL EXCEPT INDIA
ATANK-V1	AIRTANK VERSION,GENERIC
ATNK-GEN	AIR TANK CAPACITY, GENERIC
ATNK-RUB	AIR TANKS WITH RUBBER RINGS
FBREG-E	FRONT REGULATION VALVE FOR EBS
SIL-BRV	SILENCER,BRAKE VALVES
URETARD	WITHOUT RETARDER
BRADJ-A	AUTOMATIC BRAKE ADJUSTMENT
AIRDRY1	AIRDRYER,DESICCANT 1 CARTRIDGE, PNEUMATIC
2COM1080	2 CYL.1080 L/MIN. COMPRESSOR
LOADSV	LOAD SENSING VALVE
TRBRAKE1	1 VALVE, TRAILER BRAKE
TCP-CM	TRAILER CONN. POS. CROSSMEMBER MOUNTED
TECT-SBP	SINGLE BRAKE POWER, TRAILER ELECTRICAL CABLE
TRBR-EBS	ELECTRONIC TRAILER BRAKE CONTROL
ABS-EBS	ANTILOCK BRAKE/ELECTRONIC BRAKE SYSTEM
ABSM-GEN	VOLVO GENERIC ABS-MANUF.
HH-STOB	TRAILER BRAKE HOSE,STORAGE BRACKET
TEC-DET	DETACHABLE ELECTRIC CABLE, TRAILER BRAKE
TBC-EC	EUROPEAN COMMUNITY, TRAILER BRAKE CONNECTION
TREL7-7	2X7 POL ELECTRICAL TRAILER CONNECTORS (24N + 24S)
RBRA-D43	DISC BRAKE DIAM. 430 MM

ACHSAUFHÄNGUNG UND LENKUNG

Variante	Beschreibung
-----------------	---------------------

STG20.0	STEERING GEAR RATIO 20.0, FIXED
PSS-SING	POWER STEERING SYSTEM SINGLE
STWLOCK	WITH STEERING WHEEL LOCK
STGW-ADJ	ADJUSTABLE STEERING WHEEL, 2 MOTIONS
STW-D450	DIAMETER 450 MM STEERING WHEEL
UTAXLE	WITHOUT TAG AXLE
URSTS	WITHOUT REAR STEERING SYSTEM
RAA11	1 REAR AXLE, 1 DRIVEN
UPAXLE	WITHOUT PUSHER AXLE
FA-HIGH	HIGH GROUND CLEARANCE-LOW OFFSET
FRAX-UNI	FRONT AXLE, UNIT BEARING
FATYPE71	1 * 7.1 TONNES, FRONT AXLE
FAA10	1 FRONT AXLE, 0 DRIVEN
RAD-A4	1 AXLE, 1 DRIVE, 4 AIR

RAHMEN, FEDERUNG UND RÄDER

Variante	Beschreibung
WPRING-P	PAINTED WHEEL PROTECTION RING
WTDF22.5	DIAM 22.5 INCH, FRONT WHEEL & TIRE
WTDD22.5	DIAM 22.5 INCH, DRIVE WHEEL & TIRE
WTF-D335	DISC WHEEL PCD 335 MM HUB PILOT
WTD-D335	DISC WHEEL PCD 335 MM HUB PILOT
WMF-ST	STEEL WHEEL, FRONT
WMD-ST	STEEL WHEEL ,DRIVE
WDF900	WHEEL WIDTH 9.00 INCH
WDD900	WHEEL WIDTH 9.00 INCH
TTF-RIB2	RIBBED (MEDIUM),TIRE TREAD FRONT
TTD-LUG2	LUGGED (MEDIUM),TIRE TREAD DRIVE
UINFLAHO	WITHOUT INFLATION HOSE
TF315-80	TIRE 315/80 ,FRONT AXLE
TD315-80	TIRE 315/80 ,DRIVE AXLE
TMF-MICH	MICHELIN, FRONT TIRE
TMD-MICH	MICHELIN, DRIVE TIRE
TF-BASIC	BASIC TIRE, FRONT AXLE
TD-BASIC	BASIC TIRE, DRIVE AXLE
UGUARD	WITHOUT GUARD
SPWCA-B	SPARE WHEEL CARRIER, BASIC
SWCP-T	TEMP.SPARE WHEEL CARRIER (TRANSPORT.ONLY)
SPWT-F	SPARE WHEEL WITH TYRE (SAME AS FRONT)
SPWCD-EC	SPARE WHEEL CARRIER EC DEMNDS
WSTUD-S	WHEEL STUDS SHORT STEEL AND AL.WHEEL DUAL HOLE
UFUP	WITHOUT FRONT UNDERRUN PROTECTION (FROCALC)
UWEDGE	WITHOUT WEDGE
RF-TAPER	TAPERED CUT TREATMENT, REAR FRAME
FRAME66	6 MM THICK FRAME
FRAMELOW	LOW FRAME RAIL EXTERNAL HEIGHT (266MM)
RFL-STD	STANDARD(TRACTOR=SHORTEST POS)(RIGID=ACC TO FORMULA)
URUP	WITHOUT REAR UNDERRUN PROTECTION
FST-PAR	PARABOLIC SPRING (NORMAL STIFFNESS) FRONT
RST-AIR2	AIR SPRING GENERATION 2
FSS-LEAF	LEAF (MECHANICAL) SUSPENSION ,FRONT
RSS-AIR	REAR SUSPENSION SYSTEM, AIR
FSTAB	FRONT STABILIZER WITH NORMAL STIFFNESS
RSTAB1	REAR STABILIZER WITH NORMAL STIFFNESS
RSHABS	SHOCK ABSORBER ,REAR
ULINER	WITHOUT LINER
SUSPL-EC	ELECTRONIC CONTROL SYSTEM, LEVELLING DEVICE

FAHRERHAUS UND AUFBAU


Variante	Beschreibung
TOOLKIT	COMPLETE TOOLKIT
UTOOLB	WITHOUT TOOLBOX CHASSIS
WAR-EXT	MANUAL WARRENTY BOOKLET , TWO YEARS
1103WHIT	WINTER WHITE
MAT-GREY	FLOOR MAT GREY
ULADDER	WITHOUT LADDER
USIGNSWC	WITHOUT DECALS
SUPH-TEX	SEAT UPHOLSTERY, TEXTILE
USEATBR	WITHOUT SEAT BELT REMINDER
DASH-BAS	BASIC DASH-BOARD
UCABPT	WITHOUT CAB PASSTHROUGH
BUNKBOX	BASIC/STD STORAGE
BEDLOCKB	BUNK LOCKING DEVICE, BASIC VERSION
UAIRBAG	WITHOUT AIR BAG
USUNVCOL	WITHOUT EXTERIOR SUNVISOR
TELECARD	VOLVO ACTION SERVICE EUROPE BLUE TELEPHONE CARD
CUPHOLD	CUPHOLDER MOUNTED IN DASH
WRITEPAD	WRITING PAD
UAWINDR	WITHOUT AUX. REAR WINDOW
CABSIGN	SIGN (VOLVO DESIGNATED TEXT) IN CAB ROOF SIGNBOX
GR-STD	BASIC GRILLE
CAB-WIDE	WIDE CAB
L2H2	STAND UP SLEEPER CAB VERSION
CABS-MEC	MECHANICAL CAB SUSPENSION
CTILTP-M	MANUAL TILT PUMP
CPAN-MF	MOULDED HEAD LINER, FLAT SIDE AND REAR WALL PANELS
FMUD-EXT	EXTENDED MUDFLAP, FRONT AXLE
USIDESTP	WITHOUT HANDLE AND FOOTSTEP
FCABS-B	FRONT CAB SUSPENSION BASIC
CURT-WB	WINDSHIELD/WINDOWS AND BUNK CURTAINS
DOOR-EXT	DOOR EXTENSION
UAWINDS	WITHOUT AUX.SIDE WINDOW
WLIFT-EB	ELECTRICAL WINDOW LIFT, BOTH DOORS
RHATCH	WITH ROOF HATCH
GLAS-UNT	CLEAR WINDOW GLASS (UNTINTED)
MAT-RUB	FLOOR MAT, RUBBER
PST-STD	STANDARD PASSENGER SEAT
UACCBKRT	WITHOUT ACCESSORY BKRT, ROOF
PSS-SU	SUSPENDED PASSENGER SEAT
SEAT-VOL	VOLVO SEAT
LANG-EF	ENGLISH/FRENCH DECALS/SIGNS
USEATEL	WITHOUT ELECTRICAL HEATED SEATS FOR DRIVER
PUBL-FRA	1ST PUBLICATION LANGUAGE FRENCH
CERT-FRA	CERTIFICATION LABELS, FRANCE/EC
LOCK-MAN	MANUAL DOOR LOCKING
UREFL	WITHOUT REFLECTORS
DPAN-IAT	DOOR PANEL WITH INTEGRAL ARMREST ETC. WITH TEXTILE PADS
UMATINS	WITHOUT INSERT MAT
MIRR18C1	CONVEX EXT. MIRROR (R=1800 MM) VERSION 1
MIR-ELOP	HEATED, EL. OPERATED EXT. MIRRORS, BOTH SIDES

AMIR-WP	WIDE-ANGLE MIRROR ,PASSENGER SIDE
UAMIRF	WITHOUT CLOSE VIEW MIRROR, FRONT
TRIM-TX1	INTERIOR TRIM TEXTILE
CITC-GRE	INTERIOR TRIM GREEN
UROSIL	WITHOUT ROOF SIGN ILLUMINATION
BUNK70T	MATTRESS SIZE 700*2000 + TOPBUNK 600*1900
DST-STD	STANDARD DRIVER SEAT
DSS-SU	SUSPENDED DRIVER SEAT
FIREXT2F	HAND FIRE-EXTINGUISHER 2 KG FOR FRANCE
PH-CAB	CAB PARKING HEATER
UFLARE	WITHOUT WARNING TORCH
AMIR-CLO	CLOSE VIEW MIRROR, SIDE, RADIUS 400MM
ISUNV-S	INTERNAL SUNVISOR ON DRIVER SIDE (ABOVE THE DOOR)
CU-ACAUT	AIR CONDITION UNIT, AUTOMATIC
SERVM-B	BASIC SERVICE MANUAL
BUMP-S	BUMPER, STEEL
TOWF-NO1	ONE TOWING DEVICE, FRONT
BEDNET	BUNK PASSENGER RESTRAINTS
STOREBOX	STORAGE AT BED-END
RSH-RAST	ONE RADIO SHELF UNIT (ABOVE DR.)+ONE STORAGE UNIT (ABOVE PAS
SLCP-LUX	LUXURY VERSION SLEEPER CONTROL PANEL
USUNVIS	WITHOUT EXTERIOR SUNVISOR
UADROOF	WITHOUT AERODYN. DEVICE, ROOF
UADSIDE	WITHOUT AERODYN. DEVICE , CABSIDE
UADCHAS	WITHOUT AERODYN. DEVICE, CHASSIS
WARNTRI2	TWO WARNING TRIANGELS
UETSBOX	WITHOUT ENGINE TUNNEL STORAGE
UREFRIG	WITHOUT REFRIGERATOR OR PREARATION KIT FOR REFRIG
UCGUARD	WITHOUT CAB GUARD
UEBHEAT	WITHOUT ENGINE BLOCK HEATER
FMUDE-B	FRONT MUDGUARD EXTENSION,BASIC
JACK-12T	JACK 12TON

Diverses

Variante	Beschreibung
RFLI-F	REAR FENDER & LIGHT INSTALLATION WITH REAR FENDER
RMUDF-BA	BASIC MUDFLAP, REAR AXLE
RFEND-B	REAR FENDER, BASIC
UFWPOS	WITHOUT FIFTH WHEEL POSITION
5WP2575	25 OR 75
5WM-LPRO	FIFTH WHEEL MTG.L-PROFILES VOLVO FIFTH WHEEL
5WH200	200MM (7.87"), FIFTH WHEEL LEG-HEIGHT
KPSIZE50	KING PIN SIZE 2" (50MM)
5WT-GF	GEORGE FISHER, FIFTH WHEEL
URAMP	WITHOUT RAMP
UTOWMBR	WITHOUT TOWING MEMBER
UTOWR	WITHOUT TOWING DEVICES ,REAR
WHC-HOR	WHEEL CHOCK 1 MOUNTED ABOVE MUF-HOR
UPSCATCH	WITHOUT PROPELLER SHAFT CATCHER
RDECK	REAR DECK
UHPG	WITHOUT HYDRAULIC PUMP GEARBOX MOUNTED
ULUBCENT	WITHOUT CENTRAL LUBRICATION
FACT-BEL	FACTORY BELGIUM TRUCKS
CLFH1	CAB LEVEL 1 FH
PROPCALC	YES, THE ORDER MUST BE CALCULATED
FRA	FRANCE

List of warnings/errors (1 message):

	20011 (1)	The specification contains unauthorized kola variants for the product type (FH 42T B2PK3): WPRING-P, WTDF22.5, WTDD22.5, WTF-D335, WTD-D335, WMF-ST, WMD-ST, WDF900, WDD900, TTF-RIB2, TTD-LUG2, UINFLAHO, TF315-80, TD315-80, TMF-MICH, TMD-MICH, TF-BASIC, TD-BASIC, UAWINDR, GR-STD, CAB-WIDE, L2H2, CABS-MEC, CTILT-P-M, CPAN-MF, FMUD-EXT, USIDESTP, CURT-WB, UAWINDS, STW-D450, WLIFT-EB, RHATCH, GLAS-UNT, MAT-RUB, UACCBKRT, SEAT-VOL, LANG-EF, PUBL-FRA, CERT-FRA, LOCK-MAN, UREFL, DPAN-IAT, UMATINS, MIR-ELOP, AMIR-WP, UAMIRF, UROSIL, BUNK70T, FIREXT2F, PH-CAB, UFLARE, AMIR-CLO, ISUNV-S, SERVM-B, BUMP-S, TOWF-NO1, BEDNET, RSH-RAST, SLCP-LUX, USUNVIS, UADROOF, UADSIDE, UADCHAS, WARNTRI2, UETSBOX, UREFRIG, HH-STOB, TEC-DET, TBC-EC, TREL7-7, TLB-BAS, ANT-CBPK, SPK-DASH, UGUARD, UCGUARD, UCBMOUNT, UEBHEAT, UBUPALAR, UPTOTRA, UPTOF, TBH-COL, RFLI-F, FMUDE-B, RMUDF-BA, RFEND-B, UFWPOS, 5WM-LPRO, 5WH200, KPSIZE50, URAMP, UTOWMBR, UTOWR, SPWCA-B, SWCP-T, SPWT-F, UBUPMON, JACK-12T, TOOLKIT, RDECK, UHPG, ULUBCENT, FRA, 1103WHIT, ENG-GEN5, 04-TLV, ULADDER, WSTUD-S, TYPE-FH, USIGNSWC, 4*2, DASH-BAS, UCABPT, TRACTOR, RC-SMOOT, GCW44.0, CONC-BAS, BUNKBOX, FAL6.7, FATYPE71, FAP3040, FAA10, URSTS, UADR, VERS-BAS, CHH-STD, UBUGNET, RADI-WID, VOLENG, ETOR2040, CHOSE-RU, EBR-VEB, COOL-FIL, FUELSEC1, UFUELTF, UAUXFUEL, COOLC40, USPEEDDU, SPEED90, AIRIN-HI, UENGPROT, IDLE-BAS, FUELTD71, TNK-DUAL, FTANK-AL, FCAP-UL, MUF-HOR, EXD-LEFT, EXSH-ST, UEXSTACK, UEAS, EM-EC01, NR-80EC, ACL1ST, UELCEPK, BBOX-L, BBOXC-BA, 2BATT170, 24V, TRANSF-H, LOWB-STD, HL-ASYMR, DETECT-S, HORN-JER, RLIGHT-W, UWPREBOC, UWARNLIG, SPG-KM, UESTAID, TL-BAS, MAINSWI, FOGW-WC, UFUP, TSIGN-SC, UHLADJ, UHLCLEAN, UIMMOBIL, UIDLAMP, MARKL-SR, DIFL-FRA, DISL-ENG, UTIS, UKEYB, CIRCP-F, UTEMPTRA, UGAUGEAM, SI-GRAFR, 1DAY-F, CALI-EC, SRED-V, RACAS-CA, GENRAX, MECHTRAN, TRAN-V, UTCOOL, UPTOTR, UPTOFLYW, RAT3.08, PROPS-M, UPLF, UPLS, PLM1700, UWEDGE, PSM-GKN, PROP-STD, UPSBRKT1, UPSBRKT2, UPSBP1, UPSBP2, MPRO-FXS, FBRA-D43, RBRA-D43, BSYS-EBS, AUXPARK, BRAKE-DV, BRAD-BAS, ATNK-GEN, ATNK-RUB, FBREG-E, SIL-BRV, URETARD, BRADJ-A, AIRDRY1, 2COM1080, LOADSV, TRBRAKE1, TECT-SBP, TRBR-EBS, ABS-EBS, ABSM-GEN, RF-TAPER, STG20.0, PSS-SING, STGW-ADJ, FRAME66, FRAMELOW, URUP, FST-PAR, RST-AIR2, FSS-LEAF, RSS-AIR, FSTAB, RSTAB1, RSHABS, ULINER, SUSPL-EC
---	-----------	--

List of restrictions violated (8 violated)

Link	Variant String	Added with DCN	Added date	Deleted with DCN	Deleted date
200053832	VERS-BAS,HH-STOB			K1090877	200830
200053848	VERS-BAS,UFWPOS,5WM-LPRO			K1281707	201411
200063275	L2H2,RSH-RAST			K1279150	201411
200064746	RMUDF-BA,RFEND-B			K1219518	201323
200112056	FAN-VISC,EM-EC01			K1076124	200828
200141960	VERS-BAS,TCP-CM			K1059660	200711
200145616	ENG-VE12,ENG-GEN5			K1076123	200828
200150871	CONC-BAS,MAINSWI,LOCK-MAN			K1283430	201411

Application version: 155, EDB library version: 342.0.0 Elapsed: 1.15 seconds Built: Sep 24 2019, 14:25:49