

MCC INSTALLATION

PRODUCT- DESCRIPTION



**MOUNTING
COMPETENCE CENTER**

TIPPER-TRUCK PK 24.00I SLD 5

EUROPEAN STANDARD



THE TIPPER

MULTIFUNCTIONAL AND RELIABLE



The tipper type W3H from KH-KIPPER is suitable for transporting a wide variety of loads. Bulk goods, pallets or even small construction machines including equipment can be transported without any problems.

LOAD SECURING



The load can be secured by lashing rings in the floor and front wall.

BORDWÄNDE




The side walls are designed to swing and fold down to also allow easy loading with a forklift. The rear wall opens automatically when the tipper body is raised and closes when lowered. A height-adjustable communal attachment is mounted on the rigid front wall.

EVERYTHING TIDIED UP



Crane equipment and load handling devices can be stored safely in the toolbox made of stainless steel. A holder for attaching a broom and shovel is also attached to the mudguard.

TRUCK SPEZIFIATION	MAN TGS 28.510 6x4-4 BL
Wheelbase	3600mm + 1400mm
Required overhang	800mm
Exhaust pipe	Right side offset to the reart
Cabin	NN
Underrun protection	From truck manufacturer
Trailer coupling	From truck manufacturer
Side marker lights	From truck manufacturer
Wheel chocks	From truck manufacturer



INSTALLATION-SPEZIFICATION	Cranes 18-30mt
Position of the crane	Front (CR-30-LKW-F)
Tipper	KH 3-side tipper incl. subframe
Tipper length	4300mm
Side wall height	800mm
Front wall height	1200mm
Floor	5mm HARDOX 450
Front wall extension	Height-adjustable communal attachment
Lashing rings	DIN EN12640, 5 pairs of 2000 daN recessed in floor, 2 pcs. 4000 daN in the front wall
Displacement	Air tanks and filter (AIRTA)
Side collision protection	Standard (SPRO-STD)
Mudguard	Aluminium double axle mudguard (GUARD-04)
Rear light cover	Made of aluminium chequer plate (RL-COV-01)
Wheel chocks	Installation (CHOCK)
Toolboxes	1 pcs. stainless steel box – M (BOX-60)
Stabilizer plate holder	2 pcs. standard (PLATE-STD)
Accessories	Bracket for broom and shovel (CLEAN-SET)
Lighting	Side marker lights (SIDE)
Battery charger	Installation in the cabin (RC-CR)
Parameter setting	External Bodybuilder (PARA)
HPSC-Setting	Crane (HPSC-30)

