

PALFINGER PLATFORMS GMBH | Düsseldorfer Str. 100 | 47809 Krefeld | Germany

To whom it may concern

Krefeld, 19.11.2020

Dear Sir or Madam,

### YOUR ENQUIRY FOR A PALFINGER ACCESS PLATFORM

Thank you very much for your enquiry and your interest in our products and services. We are pleased to support you during the evaluation process to find the right access equipment for safe operations in heights. Based on the information we received we are glad to provide you with a non-binding quotation for:

### PALFINGER Access Platform P 250 BK mounted on Mercedes Benz Sprinter 314 CDI 4x2

PALFINGER stands for the most innovative lifting solutions at the highest technological level. With PALFINGER Access Platforms you invest in safe and reliable height access technology that is of outstanding quality.

PALFINGER is the only manufacturer in the world offering both non-insulated and insulated access platforms reaching working heights from 10m to 103m for chassis weights between 3.5t and 60t GVW. PALFINGER Access Platforms are thus optimally adjusted to the relevant working range.

We always strive to provide the best service and support to our customers. So in case of questions or remarks please do not hesitate to contact us. However, we are convinced that our quotation will meet your expectations and take the liberty of contacting you in this regard.

Yours faithfully,

PALFINGER PLATFORMS GMBH

Michael Gruböck Sales & Service Manager EMEA i.V.Andrea GrabenseeInside Sales Manager EMEA



### **Quotation for**

# **PALFINGER P 250 BK**

### mounted on Mercedes Benz Sprinter 314 CDI 4x2



Picture shows additional equipment. For reference only.

### **Quotation for:**

To whom it may concern

Date: 19.11.2020

### Your contact:

Inside Sales EMEA T +49 2151 4792 - 0 F +49 2151 4792 - 130

M

sales.platforms@palfinger.com

### **PALFINGER PLATFORMS GMBH**

Düsseldorfer Str. 100 47809 Krefeld | Germany

WWW.PALFINGER.COM 2|6



# **CONTENT**

Price Overview	4
Your Scope of Supply	4
Terms and Conditions	5
Your Required Basic Specification	6

WWW.PALFINGER.COM 3|6



# **PRICE OVERVIEW**

### YOUR SCOPE OF SUPPLY

Item	Qty	Description	Price (EUR)
P 250 BK	1	PALFINGER Access Platform P 250 BK	
ABW01001	1	Fixed aluminium bordering 200mm high	
DDK00101	1	Operating instructions, stickers German	
ELW00123	1	Flashing light; fixed left on turntable	
ELW00124	1	Flashing light; fixed right on turntab.	
EED00101	1	Display in addition to the control panel	
ESC00125	1	Emergency control, display at basis	
FAT00201 1	1	Modification MB Sprinter 3,5t	
MXLKW-MB	1	MB Sprinter 314 CDI 4x2	

WWW.PALFINGER.COM 4|6



### **TERMS AND CONDITIONS**

#### Terms of delivery

Free Carrier (FCA) according to Incoterms® 2020, Löbau. All prices are net prices with VAT excluded.

### Validity of pricing

The quotation is non-binding.

### Terms of payment

According to special agreement.

### **Delivery time**

Continuously

### Terms and conditions of business

According to our General Terms and Conditions of Business which can be found at <a href="https://www.palfinger.com/en-gb/terms-conditions">https://www.palfinger.com/en-gb/terms-conditions</a>. Of course we will be pleased to provide you with the required document upon request.

We reserve the right to make technical alterations without prior notice. Illustrations may differ.

Please take your time to carefully check this quotation. Furthermore, please check if the described machine meets the registration requirements in your country as we cannot assume any liability for local restrictions that may apply.

WWW.PALFINGER.COM 5|6



## YOUR REQUIRED BASIC SPECIFICATION

P 250 BK PALFINGER Access Platform P 250 BK as per technical description

ABW01001 Fixed aluminium bordering 200mm high

DDK00101 Operating instructions, stickers, labels and display messages (if display available) in German

language

ELW00123 Flashing light; yellow; fixed; on the left side at the turntable; Type Comet-B LED

ELW00124 Flashing light; yellow; fixed; on the right side at the turntable; Type Comet-B LED

EED00101 Display in addition to the control panel

ESC00125 Electronic emergency control of the platform via display at the base. Inclusive height limitation;

height and PIN are freely programmable

FAT00201 Modification MB Sprinter 3,5t

- Mounting Axle-Position-Control-System

- Mounting chassis bracket

- Electrical modification

MXLKW-MB

MB Sprinter 314 CDI 4x2, wheelbase 3665 mm, GVW 3500 kg, Euro 6D - incl. All-wheather tires and Bluetooth-radio

Color MB 9147 arctic white

WWW.PALFINGER.COM 6|6