

To whom it may concern

Krefeld, 5.11.2020

Dear Sir or Madam,

YOUR ENQUIRY FOR A PALFINGER ACCESS PLATFORM

Thank you very much for your enquiry and your interest in our products and services. We are pleased to support you during the evaluation process to find the right access equipment for safe operations in heights. Based on the information we received we are glad to provide you with a non-binding quotation for:

PALFINGER Access Platform P 300 KS mounted on Mercedes Benz Atego 818 4x2

PALFINGER stands for the most innovative lifting solutions at the highest technological level. With PALFINGER Access Platforms you invest in safe and reliable height access technology that is of outstanding quality.

PALFINGER is the only manufacturer in the world offering both non-insulated and insulated access platforms reaching working heights from 10m to 103m for chassis weights between 3.5t and 60t GVW. PALFINGER Access Platforms are thus optimally adjusted to the relevant working range.

We always strive to provide the best service and support to our customers. So in case of questions or remarks please do not hesitate to contact us. However, we are convinced that our quotation will meet your expectations and take the liberty of contacting you in this regard.

Yours faithfully,

PALFINGER PLATFORMS GMBH

Michael Gruböck
Sales & Service Manager EMEA

i.V.
Andrea Grabensee
Inside Sales Manager EMEA

Quotation for

PALFINGER P 300 KS

mounted on Mercedes Benz Atego 818 4x2



Picture shows additional equipment. For reference only.

No.: BUC2020115001-1

Date: 5.11.2020

Quotation for:
To whom it may concern

Your contact:
Inside Sales EMEA
T +49 2151 4792 - 0
F +49 2151 4792 - 130
M
sales.platforms@palfinger.com

PALFINGER PLATFORMS GMBH
Düsseldorfer Str. 100
47809 Krefeld | Germany

CONTENT

Price Overview	4
Your Scope of Supply	4
Terms and Conditions	5
Your Required Basic Specification	6

PRICE OVERVIEW

YOUR SCOPE OF SUPPLY

Item	Qty	Description	Price (EUR)
P 300 KS	1	PALFINGER Access Platform P 300 KS	
ABH00102	1	Mounting of license plate in the middle	
ABW02001	1	Attachment point for load securing nets	
AHA01003	1	Bracket 7 traffic cones (without cones)	
ALO00201	1	4 lashing pints at platforms covering	
AUF00103	1	short rear protection	
DDK00101	1	Operating instructions, stickers German	
EDE00101	1	Mounting working data acquisition	
ELW00123	1	Flashing light; fixed left on turntable	
ELW00124	1	Flashing light; fixed right on turntab.	
FAT00108	1	Modifications at truck chassis / 8	
SSG00101	1	Protection guard on top of driver's cab	
SSR00102	1	2 Covers for warning beacon on turntable	
MXLKW-MB	1	Mercedes Benz Atego 818 4x2	

TERMS AND CONDITIONS

Terms of delivery

Free Carrier (FCA) according to Incoterms® 2020, Löbau. All prices are net prices with VAT excluded.

Validity of pricing

The quotation is non-binding.

Terms of payment

According to special agreement.

Delivery time

To be agreed upon/ at the time of order placement but, however, delivery around W7/2021.

Terms and conditions of business

According to our General Terms and Conditions of Business which can be found at <https://www.palfinger.com/en-gb/terms-conditions>. Of course we will be pleased to provide you with the required document upon request.

We reserve the right to make technical alterations without prior notice. Illustrations may differ.

Please take your time to carefully check this quotation. Furthermore, please check if the described machine meets the registration requirements in your country as we cannot assume any liability for local restrictions that may apply.

YOUR REQUIRED BASIC SPECIFICATION

P 300 KS	PALFINGER Access Platform P 300 KS as per technical description
ABH00102	Mounting of the license plate incl. lightning in the middle between the rear lights (only with the short rear protection)
ABW02001	Attachment point for load securing nets at the bordering
AHA01003	Bracket for 7 traffic cones (without traffic cones)
ALO00201	4 clevis mounted inside the chassis covering
AUF00103	short rear protection (with integrated rear lighting)
	Please check homologation in your country.
DDK00101	Operating instructions, stickers, labels and display messages (if display available) in German language
EDE00101	Mounting of working data acquisition unit mounted inside the main switch box or at the base. Unit will be supplied by customer. Only existing inputs will be programmed.
	Channel 1 = ignition ON, is not possible to change Channel 2 = PTO engaged, if customer does not defined otherwise Channel 3 = main boom off transport position, if customer does not defined otherwise Channel 4 = stabilizers off transport position, if customer does not defined otherwise Channel 5 = engine running, if customer does not defined otherwise
	Please notify a different channel assignment and the type of data acquisition unit, when ordering at Palfinger Platforms. Please delivery the device latest together with the carrier vehicle.
ELW00123	Flashing light; yellow; fixed; on the left side at the turntable; Type Comet-B LED
ELW00124	Flashing light; yellow; fixed; on the right side at the turntable; Type Comet-B LED
FAT00108	Modifications at truck chassis / 8
SSG00101	Protection guard on top of driver's cab (made of wave grid)
SSR00102	2 Covers for warning beacon on turntable
MXLKW-MB	Mercedes Benz Atego 818 4x2 BB, wheelbase 3020mm, Euro 6d temp, GVW 7490kg, S-Cab, with air conditioning