

MAN

**PK 19.001 SLD5**

**TGS 26.470 6X2-4 LL**

KONTRAKTNUMMER: PALDRIVE 372

NY

TILGÆNGELIG




## SPECIFIKATION

### PK 19.001 SLD 5

- Hydraulic 4-fold extension
- High-speed extension system with return oil recovery
- Swivel range 420°
- Hydraulic support leg extension (max.support width 6,600mm)
- Rigid support legs + support leg extension 100mm
- Paltronic 40
- HPSC-E
- Scanreco radio remote control (2-2-2 cross lever)
- Painting RAL3020
- Working lights on the articulated arm
- Hose equipment for two additional devices

## TILBUDSINFORMATION

Lokationsdetaljer

PALFINGER, 86-050 - Polen 

Forhandler, detaljer

Palfinger EMEA GmbH PL



Tilgængelighed

Tilgængelig

Produkttype

Ny

Kontraktnummer

Paldrive 372

Forhandler, e-mail

[sales@palfinger.com](mailto:sales@palfinger.com)

Forhandler, telefon

**004366488345792**

- 8 t load hook

### **Platform**

- internal dimensions L = 6,600mm and W = 2,480mm
- Usable front wall height 1,800mm inclusive two working lights
- Usable side wall height 950mm - Painted RAL9016 on both sides
- Side wall lifting aids + 2 folding steps per side wall
- Platform floor made of 27mm plywood, impregnated and sealed
- platform profile 45° + lashing points every 250mm

### **MAN**

- TGS 26.470 6x2-4 LL
- 470PS / 2400Nm
- Euro 6e
- TipMatic gearbox 12.26DD + retarder
- Air suspension on all axles
- Fuel tank 400l / AD-Blue 60l
- Tires 1st axle 385/65 R22.5
- Tires for drive and trailing axles 315/80 R22.5
- Cabin color: pure white RAL 9016 / chassis color: Graphite Black RAL9011
- electrical and pneumatical trailer supply
- **RINGFEDER trailer coupling type 4040 / G150B**

<b>Producent</b>	Palfinger	<b>Løftemoment</b>	18,5 mt
<b>Model</b>	PK 19.001 SLD 5	<b>Rækkevidde / Løfteevne</b>	12,5m / 1.180Kg
<b>Produktionsår</b>	2023	<b>Maks. rækkevidde</b>	12,5 m
<b>Lastbilproducent</b>	MAN	<b>Emissionsnorm</b>	Euro 6e
<b>Vehicle type</b>	Chassis	<b>Aksler</b>	6*2*4
<b>Produktionsår</b>	2023	<b>Totalvægt</b>	26.000 Kg
<b>Førerhus</b>	TN	<b>Egenvægt</b>	13.700Kg
<b>Akselafstand</b>	4.800mm + 1.350mm	<b>Nyttelast</b>	12.300Kg
<b>Hestekræfter</b>	470 PS	<b>Nyttelast, kategori</b>	6t - 15t
		<b>Opbygning</b>	Kran og lad