

MAN

P 300 KS

TGL 8.160 4X2 BB

CONTRACT NUMBER: P300KS STANDARD

NEW


IN PRODUCTION



SPECIFICATION

OFFER INFORMATION

Location details

Löbau, 02708 - Germany 

Dealer Name

Palfinger Platforms GmbH

Product type

New

Contract number

P300KS Standard

Dealer E-mail

sales.platforms@palfinger.com

Dealer phone

004935854796121

- Fully variable stabilizer system
- Automatic stabilizer levelling
- Possibility of driving the chassis with jib set up and main boom settled on the rest
- Home-Function
- Memory-Function
- Disconnection of movements, when cage hits an obstacle
- Central energy supply at the cage (24V) and external 230 V CEE-plug-in on the base and CEE- plug in the cage (incl. HFI-switch)
- Aluminum bordering, both sides hinged
- Automatic adjustment of outreach due to monitoring inclination of MEWP
- 4 Safety-Spreader plates incl. bracket
- Color display for basket control
- Preparation for ground bolt
- Engine start stop function from control stands
- Battery monitoring incl. warning signal
- Illumination of all stabilizer and platform control elements for easier working at bad visual conditions
- CE-conformity, declaration of conformity, inspection book
- Emergency control panel
- Wide Cage turning range to approach inaccessible working spots through comfortable positioning of the cage

Painting in RAL9010 pure white

PRODUCT

Manufacturer	PALFINGER	Basket size	1,80 x 1,00 x 1,10 m
Model	P 300 KS Facelift	Basket capacity	400 kg
Construction year	NEU - NEW	Basket turning device	+/- 85°
Outreach	20,5 m	Basket arm angle	195 °
Max. height of work	30,0 m	Basket material	Aluminium
Turret rotation	540 °		

TRUCK

Truck manufacturer	MAN	Wheel base	3.050 mm
Vehicle type	TGL 8.160 4x2 BB	Power	118 kW / 160 PS
Construction year	NEU - NEW	Emmission standard	EURO 6
Drivers cabine	C	Axes	4x2
		Gross vehicle weight	7.490 kg