

MAN

P 300 KS

TGL 8.160 4X2 BB

CONTRACT NUMBER: P300KS STANDARD

NEW


IN PRODUCTION



SPECIFICATION

OFFER INFORMATION

Location details

Löbau, 02708 - Germany 

Dealer Name

Palfinger Platforms GmbH

Product type

New

Contract number

P300KS Standard

Dealer E-mail

sales.platforms@palfinger.com

Dealer phone

004935854796121

- Fully variable stabilizer system
- Automatic stabilizer levelling
- Possibility of driving the chassis with jib set up and main boom settled on the rest
- Home-Function
- Memory-Function
- Disconnection of movements, when cage hits an obstacle
- Central energy supply at the cage (24V) and external 230 V CEE-plug-in on the base and CEE- plug in the cage (incl. HFI-switch)
- Aluminum bordering, both sides hinged
- Automatic adjustment of outreach due to monitoring inclination of MEWP
- 4 Safety-Spreader plates incl. bracket
- Color display for basket control
- Preparation for ground bolt
- Engine start stop function from control stands
- Battery monitoring incl. warning signal
- Illumination of all stabilizer and platform control elements for easier working at bad visual conditions
- CE-conformity, declaration of conformity, inspection book
- Emergency control panel
- Wide Cage turning range to approach inaccessible working spots through comfortable positioning of the cage

Painting in RAL9010 pure white

PRODUCT

| | |
|----------------------------|-------------------|
| Manufacturer | PALFINGER |
| Model | P 300 KS Facelift |
| Construction year | NEU - NEW |
| Outreach | 20,5 m |
| Max. height of work | 30,0 m |
| Turret rotation | 540 ° |

| | |
|------------------------------|----------------------|
| Basket size | 1,80 x 1,00 x 1,10 m |
| Basket capacity | 400 kg |
| Basket turning device | +/- 85° |
| Basket arm angle | 195 ° |
| Basket material | Aluminium |

TRUCK

| | |
|---------------------------|------------------|
| Truck manufacturer | MAN |
| Vehicle type | TGL 8.160 4x2 BB |
| Construction year | NEU - NEW |
| Drivers cabine | C |

| | |
|-----------------------------|-----------------|
| Wheel base | 3.050 mm |
| Power | 118 kW / 160 PS |
| Emmission standard | EURO 6 |
| Axes | 4x2 |
| Gross vehicle weight | 7.490 kg |