

Actros 2545 L 6x2

MERCEDES

**PK 20.501L TEC3**

**MERCEDES-BENZ ACTROS 2545 L 6X2**

CONTRACT NUMBER: 1498427/PALDRIVE78

NEW

AVAILABLE

ON STOCK



## SPECIFICATION

### PK 20.501L TEC 3

TOQU - Dead centre over leg beam

RX3- hydr. telescopic outriggers, long

STZS3, rigid stabilizer cylinders

AUSW- check of outrigger transport position

HPSC- stability monitoring system

two section hydr. extension boom with two additional hydr. functions, (rotator, grab)


top seat control with cross levers

....

- Mercedes-Benz Actros 5 L FHS 2545 L 6x2
- Performance: 448 PS / 330 KW
- Permissible total weight 26000 kg
- Payload 10.886 kg

## OFFER INFORMATION

Location details

Köstendorf, 5203 - Austria 

Dealer details

Palfinger Europe GmbH

**PALFINGER**

Dealer E-mail

sales@palfinger.com

Dealer phone

004366488878727

Availability

Available

Product type

New

Contract number

1498427/Paldrive78

**PK 20.50IL TEC3 Mercedes Mercedes-Benz**



**Actros 2545 L 6x2**

---

## Actros 2545 L 6x2

**PRODUCT**

|                      |           |                          |        |
|----------------------|-----------|--------------------------|--------|
| <b>Manufacturer</b>  | Palfinger | <b>Construction year</b> | 2019   |
| <b>Equipment no.</b> | 100498755 | <b>Max outreach</b>      | 10,9 m |

**TRUCK**

|                                   |                   |                             |                        |
|-----------------------------------|-------------------|-----------------------------|------------------------|
| <b>Truck manufacturer</b>         | Mercedes-Benz     | <b>Power</b>                | 449 PS 330kW<br>2200Nm |
| <b>Vehicle type</b>               | 2545 L 6X2 F 13   | <b>Emmission standard</b>   | Euro6D                 |
| <b>Truck order no.</b>            | 1955799274        | <b>Axes</b>                 | 6x2                    |
| <b>Chassis identification No.</b> | WDB96302010395607 | <b>Gross vehicle weight</b> | 26000 kg               |
| <b>Construction year</b>          | 2019              | <b>Transported freight</b>  | 6t - 15t               |
| <b>Wheel base</b>                 | 5.433 mm          | <b>Emission</b>             | Euro 6                 |