

MAN

## EPSILON S300L98 TGX 640 6X4

NEW

AVAILABLE



### SPECIFICATION

#### PALFORET

##### MAN TGX 640 6X4

- **Off-road category**
- **Front/Rear Axle Load (kg):** 10000 / 21000
- **Rear pneumatic suspensions**
- **Cabin:** GM
- **Exhaust:** In the track
- **Wheelbase (mm):** 3900 + 1400
- **Fuel tank capacity:** 445L
- **AdBlue tank capacity:** 80L

### TECHNICAL SPECIFICATIONS

#### EPSILON S300L98 Crane

- Reach at 9.80m, double telescopic
- Column seat with protective canopy
- Comfort pack (heated seat, engine start/stop, acceleration +/-)
- Log combs
- Distributor protective cover

### OFFER INFORMATION

Location details

France, 26250 - France 

Dealer Name

Palfinger France 

Availability

Available

Product type

New

Dealer E-mail

loic.baritussio@palfinger.fr

Dealer phone

0033628767400

- 4 work lights 3000 lumen
- Rotating couplings at the base of the crane
- Hultdins SG520S Grapple

## **FLEXMAX Faymonville Trailer**

- Rear trailer with 3-axle Flex-Z
- 1st axle mounted on ball circle with hydromechanical steering
- 2nd and 3rd fixed axles
- BPW axles
- Centralized lubrication
- 30T turret on front and rear chassis

## **Metallization**

- Extensions on front and rear chassis

## **ACCESSORIES**

- Cabin guard with grapple support + 6 work lights
- Side protections in steel (tanks / battery box)
- 2 overhanging rear boxes with chainsaw guide
- 2 telescopic supports for snow chains
- Aluminum hydraulic tank behind the cabin
- Double capacity cooler 30KW
- Storage box behind the cabin
- 6 work lights (side, rear, and on chassis)
- Shovel / broom support

PRODUCT

Manufacturer	Palfinger	Outreach / Lifting power	9,80 m
Model	Epsilon S300L98	Mounting	front

TRUCK

Truck manufacturer	MAN	Power	640 PS
Vehicle type	TGX 640 6x4	Emmission standard	EURO 6e
Drivers cabine	GM	Axes	6x4
Wheel base	3900 + 1400 mm	Payload category	6t - 15t

# Grumier MAN



VINCENT

PALFINGER

PALFORET



## MAN TGX 640 6X4

- Off-road category
- Front/Rear Axle Load (kg) : 10000 / 21000
- Rear pneumatic suspensions
- Cabin : GM
- Exhaust : In the track
- Wheelbase (mm) : 3900 + 1400
- Fuel Tank Capacity : 445L
- AdBlue Tank Capacity : 80L

## TECHNICAL SPECIFICATIONS

### EPSILON S300L98 Crane

- Reach at 9.80m, double telescopic
- Column-mounted seat with protective cover
- Comfort pack (heated seat, engine start/stop, acceleration +/-)
- Log combs
- Distributor protective cover
- 4 work lights 3000 lumen
- Rotating couplings at the base of the crane
- Grapple Hultdins SG520S



### FLEXMAX Faymonville Trailer

- Rear trailer with 3-axle Flex-Z
- 1st axle mounted on a ball circle with hydromechanical steering
- 2nd and 3rd fixed axles
- BPW axles
- Centralized lubrication
- 30T turret on front and rear chassis



### Metallization

- Extensions on front and rear chassis

## ACCESSORIES

- Cabin guard with grapple support + 6 work lights
- Side protections in steel (tanks / battery compartment)
- 2 rear overhang compartments with chainsaw guide
- 2 telescopic supports for snow chains
- Aluminum hydraulic tank behind the cabin
- Double capacity cooler 30KW
- Storage compartment behind the cabin
- 6 work lights (side, rear, and on chassis)
- Shovel / broom support

