P 240 AXE- E Smart Plus Iveco IVECO 35 S 14

MY2024 GSR



IVECO

P 240 AXE- E SMART PLUS IVECO 35 S 14 MY2024 GSR

NEW

SYMBOLFOTO

IN PRODUCTION



SPECIFICATION

- · Lightweight and compact double articulated aerial platform for work in tight spaces, mounted on a 3.5 t truck.
- The double pantograph unit guarantees great versatility and the ability to move over in elevated positions.
- Multifunction electric controls for greater precision, speed, and manoeuvring comfort
- · Vertical stabilisation with frontwards extending outriggers which compensate for uneven and sloping ground
- · Platform with three stabilisation options for all working conditions:
- 1. Within the outer vehicle limits: for maximum compactness overall within small spaces
- 2. With front crossmembers extended: for maximum performance when working in elevated positions

OFFER INFORMATION

Location details

Modena, 41122 - Italy

Print date: 5 Dec 2025, 03:55:05

Dealer Name

Palfinger srl

Product type

New

Dealer F-mail

info@palfingerplatformsitaly.it

v.dalcamo@palfinger.com

Dealer phone

0039059252426

Prior sale and changes reserved!

P 240 AXE- E Smart Plus Iveco IVECO 35 S 14



Print date: 5 Dec 2025, 03:55:05

MY2024 GSR

Partial stabilisation: for maximum performance with minimum overall dimensions.

STANDARD

- · 12V socket on basket
- 230V / 16 socket A or 110V / 16A 12V socket on basket
- · 40 I diesel tank
- Aerial section centring dispaly for aerial part closing
- · Air/water line from the column to the basket
- Anti-collision system cab/boom
- Cage rotation 90°+ 90°
- Hour meter
- Inclinometer with audio alarm signal and signal lights relating to aerial work conditions
- Painting with cataphoresis process, with KTL system patented by PALFINGER
- · Preparation for insulation upgrade ability
- Set of 4 spreader plates with proper housing on the chassis
- · Top boom protection.

Prior sale and changes reserved!

P 240 AXE- E Smart Plus Iveco IVECO 35 S 14 MY2024 GSR



PRODUCT

Manufacturer	PALFINGER
Model	P 240 AXE-E Smart Plus
Construction year	2025
Outreach	11,60 m
Max. height of work	22,9 m

Turret rotation	290°
Basket size	1.4 x 0.84 x h 1.1 m
Basket capacity	250 kg
Basket turning device	90+90
Basket material	aluminio

TRUCK

Truck manufacturer	IVECO
Construction year	2025
Wheel base	3450 mm

Emmission standard	EURO 6
Axes	4x2
Gross vehicle weight	3500 Kg

Print date: 5 Dec 2025, 03:55:05