

CH

MAN

PK 12502 SH E-DRIVE TGM 18.320 4X2 BL CH

CONTRACT NUMBER: PALDRIVE 251







SPECIFICATION

MAN + PK12502 SH eDrive + **Palfinger Installation**

Handover inbetween two weeks after official order.

PK 12502 SH eDrive

- eDrive (100% electrically operable)
- Hydraulic 3-fold extension
- High-speed extension system with return oil recovery
- Swivel range 400°
- Hydraulic support leg extension (max.support width 4.900mm)
- Support leg extension 100mm
- Rigid support legs

Prior sale and changes reserved!

OFFER INFORMATION

Location details

PALFINGER, 5211 - Austria



Dealer Name



Availability

Available

Product type

New

Contract number

Paldrive 251

Dealer E-mail

sales@palfinger.com

Dealer phone

004366488345792

PK 12502 SH e-Drive MAN TGM 18.320 4x2 BL



CH

- Paltronic 40
- HPSC-E + LOAD
- Sanreco radio remote control (2-2-2) cross lever
- Painting RAL3020
- Working lights on the articulated arm
- Hose equipment for two additional devices including quick coupling (multi-faster)
- 8.0t load hook
- inclusive HPX-Grapple (350 Liter)

Tipper (MEILLER)

- MEILLER type 9
- 4,000 x 2,420 mm
- 800 mm height of the front wall of the tipping bridge
- 600 mm high side wall tipping bridge, steel
- Floor tipping bridge, made of steel HB 400, 4 mm
- Lashing eyes in the floor panel
- Rear wall of the tipping bridge, swinging and can be folded down to a certain extent, manual claw lock

MAN

- TGM 18.320 4x2 BL CH
- 320PS / 1.250Nm
- Leaf suspension 1st and 2nd axis
- Fuel tank 150I / AD-Blue 35I
- Tires 1st axle 315/80 R22.5
- Drive axle tires 315 / 80R22.5

Prior sale and changes reserved!

Print date: 12 May 2024, 18:39:16

PK 12502 SH e-Drive MAN TGM 18.320 4x2 BL



Print date: 12 May 2024, 18:39:16

CH

- Cabin color: Traffic White RAL9016 / Chassis

color: Graphite Black RAL9011

- Electric and compressed air hanger supply
- RINGFEDER trailer coupling type 4040 / G150B

Prior sale and changes reserved!

PK 12502 SH e-Drive MAN TGM 18.320 4x2 BL



CH

PRODUCT

| Manufacturer | Palfinger | Lifting moment | 11,4 mt |
|-------------------|-------------|--------------------------|--------------------|
| Model | PK 12502 SH | Outreach / Lifting power | 9,7m / 1.040 Kg |
| Construction year | 2022 | Max outreach | 9,7 m |

TRUCK

| Truck manufacturer | MAN | Axes | 4x2 |
|--------------------|----------|----------------------|------------------|
| Construction year | 2022 | Gross vehicle weight | 18.000 Kg |
| Drivers cabine | СС | Dead weight | 10.000 Kg |
| Wheel base | 3.900 mm | Payload | 8.000 Kg |
| Power | 320 HP | Payload category | 6t - 15t |
| Emmission standard | EURO 6e | Construction | Crane and tipper |

Print date: 12 May 2024, 18:39:16