

CH

MAN

## PK 12502 SH E-DRIVE TGM 18.320 4X2 BL CH

CONTRACT NUMBER: PALDRIVE 251


NEW

AVAILABLE



### OFFER INFORMATION

Location details

PALFINGER, 5211 - Austria 

Dealer Name

Palfinger EMEA GmbH AT 

Availability

Available

Available from

01.01.2019

Product type

New

Contract number

Paldrive 251

Dealer E-mail

[sales@palfinger.com](mailto:sales@palfinger.com)

Dealer phone

**004366488345792**

### SPECIFICATION

**MAN + PK12502 SH eDrive +  
Palfinger Installation**

**Handover inbetween two weeks after official  
order.**

#### PK 12502 SH eDrive

- eDrive (100% electrically operable)
- Hydraulic 3-fold extension
- High-speed extension system with return oil recovery
- Swivel range 400°
- Hydraulic support leg extension (max.support width 4.900mm)
- Support leg extension 100mm
- Rigid support legs

Prior sale and changes reserved!

Print date: 30 Apr 2024, 10:37:38

## CH

---

- Paltronic 40
- HPSC-E + LOAD
- Sanreco radio remote control (2-2-2) cross lever
- Painting RAL3020
- Working lights on the articulated arm
- Hose equipment for two additional devices including quick coupling (multi-faster)
- 8.0t load hook
- inclusive HPX-Grapple (350 Liter)

### **Tipper (MEILLER)**

- MEILLER type 9
- 4,000 x 2,420 mm
- 800 mm height of the front wall of the tipping bridge
- 600 mm high side wall tipping bridge, steel
- Floor tipping bridge, made of steel HB 400, 4 mm
- Lashing eyes in the floor panel
- Rear wall of the tipping bridge, swinging and can be folded down to a certain extent, manual claw lock

### **MAN**

- TGM 18.320 4x2 BL CH
- 320PS / 1.250Nm
- Leaf suspension 1st and 2nd axis
- Fuel tank 150l / AD-Blue 35l
- Tires 1st axle 315/80 R22.5
- Drive axle tires 315 / 80R22.5

PK 12502 SH e-Drive MAN TGM 18.320 4x2 BL



CH

---

- Cabin color: Traffic White RAL9016 / Chassis

color: Graphite Black RAL9011

- Electric and compressed air hanger supply

- RINGFEDER trailer coupling type 4040 / G150B

CH

**PRODUCT**

<b>Manufacturer</b>	Palfinger	<b>Lifting moment</b>	11,4 mt
<b>Model</b>	PK 12.502 SH	<b>Outreach / Lifting power</b>	9,7m / 1.040 Kg
<b>Construction year</b>	2022	<b>Max outreach</b>	9,7 m

**TRUCK**

<b>Truck manufacturer</b>	MAN	<b>Axes</b>	4x2
<b>Construction year</b>	2022	<b>Gross vehicle weight</b>	18.000 Kg
<b>Drivers cabine</b>	CC	<b>Dead weight</b>	10.000 Kg
<b>Wheel base</b>	3.900 mm	<b>Payload</b>	8.000 Kg
<b>Power</b>	320 HP	<b>Payload category</b>	6t - 15t
<b>Emmission standard</b>	EURO 6e	<b>Construction</b>	Crane and tipper