

MAN

P 480

4X4

NEW

AVAILABLE



SPECIFICATION

EQUIPMENT

- Greater flexibility thanks to 240° X-jib
- 2 x 200° rotation for perfect positioning of the workman basket
- Telescopic upper boom up to 17 m length
- 1000 mm stabilising stroke to compensate highly uneven terrain
- Telescopic basket with 600 kg basket load and integrated mount for Powerlift system
- Hanging basket enables users to get close to objects
- Reverse camera
- Home function
- Automated positioning system
- Telescopic cage
- Safety plates
- 230 V CEE current supply with CEE socket in the workman cage

OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer Name

Palfinger srl

Availability

Available

Product type

New

Dealer E-mail

sales-it@palfinger.com

v.dalcamo@palfinger.com

Dealer phone

0039059252426

-
- Easy access through integrated stairs to platform
 - Oil cooler to maintain the optimum operating temperature
 - Secondary control at the turntable
 - Intercom
 - Working flashing lights
 - Cage collision prevention system
 - Hydraulic generator min 6.6kVA / 400V
 - Seats in the cage
 - Side protection
 - Powerlift system
 - High pressure air line
 - Anemometer
 - Attachable cable winch under the workman basket with 460kg lifting capacity
 - Winch load 460 kg
 - lifting hook load 900 kg
 - Roof at the control workstation

PRODUCT

Manufacturer	Palfinger	Turret rotation	540°
Model	P 480	Basket size	3,81 x 1,05 x 1,10 m
Construction year	2025	Basket capacity	600 kg
Outreach	31 m	Basket turning device	2 x 200°
Max. height of work	48 m	Basket arm angle	200°
		Basket material	Aluminum

TRUCK

Truck manufacturer	MAN	Power	213 kW / 290 PS
Drivers cabine	C	Emmission standard	EURO 6
Wheel base	4800 mm	Axes	4x4
		Gross vehicle weight	18.000 kg