

### MAN

# **EPSILON S300L98**

# TGX 640 6X4







### SPECIFICATION

# **PALFORET**

## **MAN TGX 640 6X4**

Off-road category

• Front/Rear Axle Load (kg): 10000 / 21000

· Rear pneumatic suspensions

• Cabin: GM

• Exhaust: In the track

• Wheelbase (mm): 3900 + 1400

• Fuel tank capacity: 445L

• AdBlue tank capacity: 80L

### **TECHNICAL SPECIFICATIONS**

#### **EPSILON S300L98 Crane**

· Reach at 9.80m, double telescopic

- · Column seat with protective canopy
- · Comfort pack (heated seat, engine start/stop, acceleration +/-)
- Log combs
- · Distributor protective cover

# OFFER INFORMATION

Location details

location, 26250 - France

Dealer Name

Palfinger France PALFINGER

Print date: Dec 15, 2025, 2:54:31 AM

Availability

Available

Product type

New

Dealer E-mail

loic.baritussio@palfinger.fr

Dealer phone

0033628767400

Prior sale and changes reserved!

# Epsilon S300L98 MAN TGX 640 6x4



- 4 work lights 3000 lumen
- · Rotating couplings at the base of the crane
- Hultdins SG520S Grapple

# **FLEXMAX Faymonville Trailer**

- · Rear trailer with 3-axle Flex-Z
- 1st axle mounted on ball circle with hydromechanical steering
- · 2nd and 3rd fixed axles
- BPW axles
- · Centralized lubrication
- · 30T turret on front and rear chassis

# Metallization

· Extensions on front and rear chassis

### **ACCESSORIES**

- Cabin guard with grapple support + 6 work lights
- · Side protections in steel (tanks / battery box)
- 2 overhanging rear boxes with chainsaw guide
- 2 telescopic supports for snow chains
- · Aluminum hydraulic tank behind the cabin
- · Double capacity cooler 30KW
- · Storage box behind the cabin
- 6 work lights (side, rear, and on chassis)
- Shovel / broom support

Prior sale and changes reserved!

Print date: Dec 15, 2025, 2:54:31 AM



# **PRODUCT**

Manufacturer	Palfinger	Outreach / Lifting power	9,80 m
Model	Epsilon S300L98	Mounting	front

# **TRUCK**

Truck manufacturer	MAN	Power	640 PS
Vehicle type	TGX 640 6x4	Emmission standard	EURO 6e
Drivers cabine	GM	Axes	6x4
Wheel base	3900 + 1400 mm	Payload category	6t - 15t