

MAN

**PK 1050 TEC**

**TGS 35.510 8X4H-6 BL**

CONTRACT NUMBER: BAUMA - PALDRIVE 293

AVAILABLE


USED

DEMOUNT



**OFFER INFORMATION**

Location details

Lengau, 5211 - Austria 

Dealer Name

Palfinger EMEA GmbH AT 

Availability

Available

Contract number

BAUMA - Paldrive 293

Dealer E-mail

sales@palfinger.com

Dealer phone

004366488345792

**SPECIFICATION**

VEHICLE HANDOVER WITHIN 14 DAYS FROM OFFICIAL ORDER.

Bauma 2022 DEMO unit → used Chassis with new PK 1050 TEC



PK 1050 TEC

lifting moment	95,0 mt
max. outreach	32,4 m
max. lifting capacity	30.000 Kg
swivel range	endless
operating hours	10 hours



MAN TGS 35.510 8X4H-6 BL

construction year	2022
main Axle distance	2.980 mm

Prior sale and changes reserved!

Print date: May 20, 2024, 10:51:20 PM

---

<b>power</b>	510 Hp
<b>first registration</b>	May 2023
<b>registrations</b>	1
<b>Mileage</b>	25.750 Km
<b>working hours</b>	1.050 hours



MCC-INSTALLATION

<b>Platform length</b>	4,6 m
<b>loading height</b>	1,2 m
<b>dead weight</b>	28.400 Kg
<b>max. payload</b>	3.600 Kg

**PRODUCT**

<b>Construction year</b>	2024	<b>Outreach / Lifting power</b>	32,4 m / 1.020 Kg
--------------------------	------	---------------------------------	-------------------

**TRUCK**

<b>Truck manufacturer</b>	MAN	<b>Dead weight</b>	28.400 Kg
<b>Construction year</b>	2022	<b>Mileage (km)</b>	25.750 Km
<b>Drivers cabine</b>	TM	<b>First registration</b>	Mai 2023
<b>Emmission standard</b>	EURO 6	<b>Payload</b>	3.600 Kg
<b>Axes</b>	8x4	<b>Payload category</b>	<6t
		<b>Construction</b>	Heavy duty crane

## PK 1050 TEC G

### HYDRAULIC & TECHNICS

- Hydraulic 8 extension
- High-speed extension system with return oil recovery
- Swivel range endless
- Hydraulic support leg extension (max.support width 8.800mm)
- Support legs can be swiveled hydraulically through 180°
- Additional hydraulic support (support width ca. 8.500 mm)
- Hose equipment for two additional devices
- 2,5to cable winch on the main arm (hydr. foldable), cable length: 65m
- 2 Stran rope Equipment on the Crane

### ASSISTANCE SYSTEMS

- Paltronic 180
- HPSC + LOAD
- CPS (cabin protection)
- P-FOLD
- Smart-control
- Weigh function
- leveling assistant
- Memory function
- AOS
- SRC
- RTC

### EQUIPMENT

- Palcom P7 radio remote control /8 functions with linear levers
- Working lights on the articulated arm
- 11,5to & 32,0to load hook
- Painting RAL3020
- hydraulic oil tank 350 l

## PJ150 E

### CONFIGURATION

- Hydraulic 6 extension
- High-speed extension system with return oil recovery
- Can be folded upwards hydraulically by 25°
- Applications with additional devices possible (e.g. gripper, rotator ...)
- 1Stran rope Equipment on the Fly-Jib
- Working light at the fly-Jib



## INSTALLATION



- installation: design edition
- low built platform + design frontwall
- measurement platform in the clear: 4.600mm x 2.480mm
- loading height: 1.200mm
- trailer coupling: ROCKINGER Typ 400 G 150A
- reverse camera
- 2 reversing lights
- 8 working lights
- 2 pcs. of heavy duty chain-trays (additional stabilizers)

## MAN TGS 35.510 8X4H-6 BL

- 510 Hp, torque max. 2.600 Nm
- Automatic gearbox: MAN Tipmatic 12.28 OD + PriTarder
- leaf suspension at 1st and 2nd axle
- air suspension at 3rd and 4th axle
- Fuel tank 390l / AD-Blue 35l
- Tires 1st, 2nd & 4th axle: 385/65R22.5
- Tires driven axle: 315/80 R22.5
- Cabin colour: RAL9016 / chassis colour: RAL9011
- Cabin type: TM - the comfortable
- auxiliary heating: 4kW
- Mediasystem Professional (12,3 Inch)
- Multifunctional steering wheel

