

MAN

**PK 580 TEC**

**TGS 35.520 8X4H-6 BL**

CONTRACT NUMBER: PALDRIVE 395

NEW

ON REQUEST



## SPECIFICATION

### MAN + PK 580 TEC + PALFINGER Installation

All pictures taken from a reference project

#### Crane: PK 580 TEC

- Hydraulic 7-fold extension
- High-speed extension system with return oil recovery
- Swivel range endless
- Hydraulic support leg extension (max. support width 7.800 mm)
- Additional hydraulic support (support width ca. 5.200 mm)
- Support legs can be swiveled hydraulically through 180 °
- Paltronic 180

## OFFER INFORMATION

Location details

MCC-NORTH SOLEC, 86-050 - Poland 

Dealer Name

Palfinger EMEA GmbH PL



Availability

On request

Product type

New

Contract number

Paldrive 395

Dealer E-mail

sales@palfinger.com

Dealer phone

004366488345792

- HPSC + LOAD
- PALCOM P7 radio remote control/ 9 functions  
with cross levers
- Painting RAL3020
- Working lights on the articulated arm and on the  
fly-Jib
- Hose equipment for two additional devices  
including quick coupling  
(multi-faster)
- 3,5 t - cable winch on the main arm (hydr.  
foldable), cable length: 90 m
- Synchron control rope winch (SRC)
- 11,5 + 25 to load hook

**Accessory: PJ150E (additional knuckle arm)**

- Hydraulic 6-fold extension
- Can be folded upwards hydraulically by 25 °
- Applications with additional devices possible  
(e.g. gripper, rotator ...)  
including quick coupling (multi-faster)
- Preparation for EN280- workman basket  
operation

**Platform:**

- Inner dimensions: 2480 x 6300 mm
- Front wall: height 1900 mm
- Side- and rearwalls height: 400 mm
- Platform floor 27 mm plywood, impregnated  
and sealed

**Chassis: MAN TGS 35.520 8x4H-6 BL**

- 520 PS , max. 2.650 Nm
- Automatic drive, MAN TipMatic 12.28 OD
- Leaf suspension on front axles, air suspension on rear axles
- Fuel tank 390l / AD-Blue tank 35l
- Tyres rear axle 315/65R22,5
- Tyres front axle 385/65R22.5
- Cabin colour: RAL 9016 traffic white / chassis colour: RAL9011  
graphite black

**PRODUCT**

|                          |            |                                 |                 |
|--------------------------|------------|---------------------------------|-----------------|
| <b>Manufacturer</b>      | Palfinger  | <b>Lifting moment</b>           | 55,5 mt         |
| <b>Model</b>             | PK 580 TEC | <b>Outreach / Lifting power</b> | 31,4 m / 390 kg |
| <b>Construction year</b> | 2023       | <b>Max outreach</b>             | 31,4 m          |

**TRUCK**

|                           |                       |                             |                    |
|---------------------------|-----------------------|-----------------------------|--------------------|
| <b>Truck manufacturer</b> | MAN                   | <b>Axes</b>                 | 8x4                |
| <b>Construction year</b>  | 2023                  | <b>Gross vehicle weight</b> | 32.000 kg          |
| <b>Drivers cabine</b>     | TM                    | <b>Dead weight</b>          | 21.700 kg          |
| <b>Wheel base</b>         | 1795 + 3505 + 1350 mm | <b>Payload</b>              | 10.300 kg          |
| <b>Power</b>              | 520 PS                | <b>Payload category</b>     | 6t - 15t           |
| <b>Emmission standard</b> | EURO 6                | <b>Construction</b>         | Crane and platform |