
FORD

ETC 35 SNT - NON-INSULATED ARTICULATED TELESCOPIC

2024 F-450

STOCK NUMBER: 25823

NEW

AVAILABLE



OFFER INFORMATION

Location details

4000 King Air Drive , Bryan, TX, 77808 - United States 

Dealer Name

Infrastructure Equipment Group



Availability

Available

Product type

New

Stock number

25823

Contact person

Jordan Tuttle

Dealer E-mail

jtuttle@ieg.com

Dealer phone

+1-979-999-9000

\$ 152,500

ETC 35 SNT BUCKET TRUCK

- 2025 Palfinger ETC-35-SNT
- 40 ft Working Height
- 26 ft Side Reach
- Electrical Outlet at Upper Controls
- Side Door Entry on Bucket

BODY DETAILS

- Curb and Street Side Tool Boxes
- Dimensions Pure Sine Inverter
- Ladder Rack

CHASSIS DETAILS

- 2024 Ford F-450
- 4x4
- Diesel
- Power Windows
- Keyless Entry

ETC 35 SNT

ARTICULATED/TELESCOPIC — NON-INSULATED




ETC 35 SNT

PALFINGER



OPERATIONAL ZONE



PALFINGER's non-insulated ETC 35 SNT offers standard 390° non-continuous rotation, emergency upper boom-controlled descent, adjustable wear pads, and replaceable bushings for pins. The 350 lbs. capacity bucket also features engine start/stop, hydraulic leveling, an extended gear-drive shaft for manual rotation, and variable speed controls.

GENERAL Specs:

Height to Bottom of Bucket
35'

Working Height
40'

Side Reach End Mount
27'

Rotation
390° Non-Continuous

Lower Boom Articulation
0° to 94°

Upper Boom Travel
-17° to 74°

Stowed Height
10' 8"

Rated Bucket Capacity
350 lbs.

OPTIONS:

Emergency hydraulic power (12VDC)

Air line to the bucket

Single-handle control

Bucket liner

Bucket cover

180° hydraulic bucket rotator

DC power options, including cab comfort

MINIMUM VEHICLE REQUIREMENTS:

GVWR (dual rear wheels)
15,000 lbs.

C.A.
60 in.

ANSI
Non-Insulated

PALFINGER North America, LLC.

341 Northwest 122nd St | Oklahoma City | Oklahoma | 73114 | +1 888 748 384 | PALFINGER.COM

*All specifications are based on the 40" frame height and subject to change without notice. Bucket trucks shown in this brochure are partially optional equipped and do not always correspond to the standard version. Country-specific regulations must be observed. Dimensions may vary. Subject to technical changes, errors and translation mistakes.