
FORD

PAL PRO 43 MECHANICS TRUCK (REGULAR CAB)

2024 F-550 XL 4X4

STOCK NUMBER: MK0279

NEW AVAILABLE



OFFER INFORMATION

Location details

5115 N Broadway | Wichita | KS, 67219 - United States 

Dealer Name

Master Tech Truck and Equipment



Availability

Available

Product type

New

Stock number

MK0279

Contact person

MTTE Sales

Dealer E-mail

MTTEinfo@MTTE.pro

Dealer phone

316-765-6883

\$ 184,900

PAL PRO 43 MECHANICS TRUCK**PALFINGER Pro 43-11 Service Body**

- 11' Standard Configuration
- E-Coat Corrosion Protection
- 60" Tall Compartments
- Street Side 44" Tall Compartments With 60" Raised Front
- 2 Compartments Curb Side
- C-Tech drawer Units & Adjustable Shelving
- Welding Bottle Compartment & Welder Mounting Plate
- Eternal LED Work Lights & LED Internal Compartment Lights
- 21" Work-Bench Bumper With Vise Plate Mount & Vise
- Outriggers
- Line-X Applied Exterior To The Cargo Area, Sides, and Tops Of Side Compartments & Interior Of Compartments
- (8) Tie-Down Rings In Load Space

COMPRESSOR TECHNICAL DETAILS**PALFINGER PRC45V Rotary Screw Compressor**

The **PALFINGER PRC45V** Hydraulic-Driven Rotary Screw Compressor provides up to 45 CFM @ 150 PSI, offering reliable air power for heavy-duty tasks in a compact design.

- **Weight:** 150 lbs
- 45 CFM @ 150 psi
- Hydraulic-Driven Rotary Screw
- Oil-Injected Rotary Screw

SERVICE CRANE TECHNICAL DETAILS**PALFINGER PSC 8029 Service Crane**

- **Maximum Lift Rating:** 8,000 lbs
- **Crane Rated Lifting Movement:** 43,000 ft. lbs
- **Maximum Crane Rated Lifting Movement:** 49,180 ft. lbs
- **Boom Extension:** 2 Hydraulics
- **Power Outreach:** 29' Reach
- **Winch Speed:** 60 ft./min
- E-Coat Corrosion Protection
- Wireless Remote Control

CHASSIS DETAILS**2024 Ford F-550 XL 4x4 (Regular Cab)**

PALFINGER Service Body – Contact us for more information!

- **Engine:** 6.7L Power Stroke Turbo Diesel – 330 HP & 750 LB-FT
- **Transmission:** Ford TorqShift HD 10-Spd Automatic
- **Gear Ratio:** 4.30 Limited Slip
- **Wheelbase:** 169"
- **Wheels:** Steel
- **GVWR:** 19,500 lbs
- **Front Axle Weight Rating:** 7,500 lbs
- **Rear Axle Weight Rating:** 14,706 lbs
- **Fuel Capacity:** 40 gal

- **CARB Compliant**
- **DOT Inspected**
- **PTO Provision (Power-Take-Off) – PTO Hydraulically Powered**
- **Extra Heavy-Duty Suspension For Specific Heavy-Duty Applications**
- Strobe Lights
- Exhaust Brake
- Engine Block Heater
- Rear Differential Lock
- Chrome Appearance Group
- Receiver Hitch Pocket, Trailer Tow-Wire Harness & Electrical Light Plug, Holes Drilled For Pintle Hitch Mount