

## P 160 A KIT

CONTRACT NUMBER: 44160182

NEW

AVAILABLE




### SPECIFICATION

- RAL 9016
- Aluminium basket
- Turntable support
- Accessories box
- Fittings for safety belts on basket
- Engine on/off control from the basket
- Manual emergency descent controls
- Electric hour meter
- Spirit level
- Outrigger/boom interlock
- Air/water supply to the basket
- Emergency hand pump
- 230 V or 110 V / 16 A socket on the basket
- Test button for signal lights on panels
- Emergency stop buttons
- Basket rotation 90°+90° (not available for 130 A and P 160A)
- Flanged lock valves on all cylinders
- Max. pressure valves on hydraulic system
- Moment limiter (P140T/P170T/P200T/P240A)
- Accessories box

### OFFER INFORMATION

Location details

Modena, 41122 - Italy 

Dealer details

Palfinger Platforms Italy

Dealer E-mail

[info@palfingerplatformsitaly.it](mailto:info@palfingerplatformsitaly.it)

Dealer phone

**059252426**

Availability

Available

Product type

New

Contract number

44160182





## PRODUCT

<b>Manufacturer</b>	PALFINGER	<b>Max. height of work</b>	16,0 m
<b>Model</b>	P 160 A KIT	<b>Turret rotation</b>	260°
<b>Order number</b>	44160182	<b>Basket size</b>	1,4x0,7x1,1 m
<b>Construction year</b>	2021	<b>Basket capacity</b>	250 kg
<b>Outreach</b>	6,3 m	<b>Basket turning device</b>	90°+90°
		<b>Basket material</b>	alu

# P 160 A LOW SMART

**KIT**






16,00 m



6,30 m con rotazione cesto (opt)  
 6,30 m Mit rotation des korbs (opt.)  
 6,30 m with basket rotation (opt.)  
 6,30 m avec rotation nacelle (opt.)  
 6,30 m con rotación cesta (opt)



250 kg



1,4x0,7x1,1 m



Idraulici  
 hydraulisch  
 Hydraulic  
 Hydrauliques  
 Hidráulicos



90° + 90° optional  
 90° + 90° optionnel  
 90° + 90° opcional



260°



900 kg