

MAN

P 300 KS

MAN TGL 8.160 4X2 BB

CONTRACT NUMBER: P300KS STANDARD

NEW


UNDER PRODUCTION



SPECIFICATION

OFFER INFORMATION

Location details

Löbau, 02708 - Germany 

Dealer details

Palfinger Platforms GmbH

Dealer E-mail

sales.platforms@palfinger.com

Dealer phone

0049215147920

Product type

New

Contract number

P300KS Standard

- Fully variable stabilizer system
- Automatic stabilizer levelling
- Possibility of driving the chassis with jib set up and main boom settled on the rest
- Home-Function
- Memory-Function
- Disconnection of movements, when cage hits an obstacle
- Central energy supply at the cage (24V) and external 230 V CEE-plug-in on the base and CEE- plug in the cage (incl. HFI-switch)
- Aluminum bordering, both sides hinged
- Automatic adjustment of outreach due to monitoring inclination of MEWP
- 4 Safety-Spreader plates incl. bracket
- Color display for basket control
- Preparation for ground bolt
- Engine start stop function from control stands
- Battery monitoring incl. warning signal
- Illumination of all stabilizer and platform control elements for easier working at bad visual conditions
- CE-conformity, declaration of conformity, inspection book
- Emergency control panel
- Wide Cage turning range to approach inaccessible working spots through comfortable positioning of the cage

Painting in RAL9010 pure white

Next unit available in CW 48.2022

PRODUCT

Manufacturer	PALFINGER	Turret rotation	540 °
Model	P 300 KS Facelift	Basket size	1,80 x 1,00 x 1,10 m
Order number	15301XXX	Basket capacity	400 kg
Construction year	2022	Basket turning device	+/- 85°
Outreach	20,5 m	Basket arm angle	195 °
Max. height of work	30,0 m	Basket material	Aluminium

TRUCK

Truck manufacturer	MAN	Wheel base	3.050 mm
Vehicle type	TGL 8.160 4x2 BB	Power	118 kW / 160 PS
Construction year	2022	Emmission standard	EURO 6
Drivers cabine	C	Axes	4x2
		Gross vehicle weight	7.490 kg