

NISSAN

P200AXE

NISSAN CABSTAR 35.13

CONTRACT NUMBER: 44205271

AVAILABLE



OFFER INFORMATION

Dealer details

Palfinger Platforms Italy

Dealer E-mail

info@palfingerplatformsitaly.it

Dealer phone

059252426

Availability

Available

Contract number

44205271

SPECIFICATION

EQUIPMENT

- demountable electric motor 230V
- lateral bordering H 200 mm
- 12V socket on the basket
- 230 V or 110 V / 16 A socket on the basket
- Air/water supply to the basket
- Basket rotation 90° to the right +90° to the left
- Double access to the basket from the closed machine and the ground
- Electric hour meter
- Emergency hand pump
- Emergency stop buttons
- Engine on/off control from the basket
- Ergonomic ladder to access the basket when the platform is closed
- Fittings for safety belts on basket
- Flanged lock valves on all cylinders
- Front Stabilizers with hydraulic extension

- Inclinometer with buzzer activated when max permitted tilt is exceeded
- Magnetic rotating lamp for the vehicle's cab
- Manual emergency descent controls
- Max. pressure valves on hydraulic system
- Moment limiter
- Outrigger resting plates with housing on platform floor
- Outrigger/boom interlock
- Planarity check device
- System to signal rotation centering of machine in resting position with signal light and analogue signal
- Test button for signal lights on panels
- Tool box

PRODUCT

Manufacturer	Palfinger	Turret rotation	370°
Model	P200AXE	Basket size	1,4x0,85x1,1 m
Outreach	8.4	Basket capacity	230 kg
Max. height of work	19.80	Basket turning device	90°+90°
		Basket material	Alu

TRUCK

Truck manufacturer	Nissan	Emmission standard	Euro 6
Vehicle type	Nissan Cabstar 35.13	Axes	4x2
Power	96 KW	Gross vehicle weight	3.500 kg