

MAN

PK 12502 SH E-DRIVE TGM 18.320 4X2 BL CH

NÚMERO DE REFERENCIA: PALDRIVE 251


NUEVO

DISPONIBLE



INFORMACIÓN DEL PRODUCTO

Información del lugar

PALFINGER, 5211 - Austria 

Vendedor

Palfinger EMEA GmbH AT

PALFINGER

Disponible

Disponible

Disponible en

01.01.2019

Tipo de Producto

Nuevo

Número de Referencia

Paldrive 251

Email

sales@palfinger.com

Teléfonos de Contacto

004366488345792

ESPECIFICACIONES DEL PRODUCTO

**MAN + PK12.502 SH eDrive +
Palfinger Installation**

**Handover inbetween two weeks after official
order.**

PK 12.502 SH eDrive

- eDrive (100% electrically operable)
- Hydraulic 3-fold extension
- High-speed extension system with return oil recovery
- Swivel range 400°
- Hydraulic support leg extension (max.support width 4.900mm)
- Support leg extension 100mm
- Rigid support legs

*Sujeto a venta previa y cambios.

Fecha de Impresión: 23 abr. 2024 11:12:28

CH

- Paltronic 40
- HPSC-E + LOAD
- Sanreco radio remote control (2-2-2) cross lever
- Painting RAL3020
- Working lights on the articulated arm
- Hose equipment for two additional devices including quick coupling (multi-faster)
- 8.0t load hook
- inclusive HPX-Grapple (350 Liter)

Tipper (MEILLER)

- MEILLER type 9
- 4,000 x 2,420 mm
- 800 mm height of the front wall of the tipping bridge
- 600 mm high side wall tipping bridge, steel
- Floor tipping bridge, made of steel HB 400, 4 mm
- Lashing eyes in the floor panel
- Rear wall of the tipping bridge, swinging and can be folded down to a certain extent, manual claw lock

MAN

- TGM 18.320 4x2 BL CH
- 320PS / 1.250Nm
- Leaf suspension 1st and 2nd axis
- Fuel tank 150l / AD-Blue 35l
- Tires 1st axle 315/80 R22.5
- Drive axle tires 315 / 80R22.5

PK 12502 SH e-Drive MAN TGM 18.320 4x2 BL



CH

- Cabin color: Traffic White RAL9016 / Chassis

color: Graphite Black RAL9011

- Electric and compressed air hanger supply

- RINGFEDER trailer coupling type 4040 / G150B

CARACTERÍSTICAS DE GRÚAS

Fabricante	Palfinger	Momento de Elevación	11,4 mt
Modelo	PK 12502 SH	Capacidad máxima de carga	9,7m / 1.040 Kg
Año de Construcción	2022	Alcance Máximo	9,7 m

CARACTERÍSTICAS DEL CAMIÓN

Fabricante	MAN	Axes	4x2
Año	2022	Masa Máxima Autorizada	18.000 Kg
Drivers cabine	CC	Peso Propio	10.000 Kg
DEE (mm)	3.900 mm	Payload	8.000 Kg
Power	320 HP	Accesorios	6t - 15t
Emisiones	EURO 6e	Componentes	Crane and tipper