

MAN

PK 12502 SH E-DRIVE TGM 18.320 4X2 BL CH

NUMERO DI CONTRATTO: PALDRIVE 251

NUOVO

DISPONIBILE



SPECIFICHE

**MAN + PK12.502 SH eDrive +
Palfinger Installation**

**Handover inbetween two weeks after official
order.**


PK 12.502 SH eDrive

- eDrive (100% electrically operable)
- Hydraulic 3-fold extension
- High-speed extension system with return oil recovery
- Swivel range 400°
- Hydraulic support leg extension (max.support width 4.900mm)
- Support leg extension 100mm
- Rigid support legs

Vendita preventiva e modifiche riservate!

INFORMAZIONI OFFERTA

Dettagli sulla posizione

PALFINGER, 5211 - Austria 

Dettagli dealer

Palfinger EMEA GmbH AT

PALFINGER

Disponibilità

Disponibile

Disponibile da

01.01.2019

Tipologia di prodotto

Nuovo

Numero di contratto

Paldrive 251

Email del venditore

sales@palfinger.com

Telefono del venditore

004366488345792

Data di stampa: 29 apr 2024, 00:31:39

CH

- Paltronic 40
- HPSC-E + LOAD
- Sanreco radio remote control (2-2-2) cross lever
- Painting RAL3020
- Working lights on the articulated arm
- Hose equipment for two additional devices including quick coupling (multi-faster)
- 8.0t load hook
- inclusive HPX-Grapple (350 Liter)

Tipper (MEILLER)

- MEILLER type 9
- 4,000 x 2,420 mm
- 800 mm height of the front wall of the tipping bridge
- 600 mm high side wall tipping bridge, steel
- Floor tipping bridge, made of steel HB 400, 4 mm
- Lashing eyes in the floor panel
- Rear wall of the tipping bridge, swinging and can be folded down to a certain extent, manual claw lock

MAN

- TGM 18.320 4x2 BL CH
- 320PS / 1.250Nm
- Leaf suspension 1st and 2nd axis
- Fuel tank 150l / AD-Blue 35l
- Tires 1st axle 315/80 R22.5
- Drive axle tires 315 / 80R22.5

PK 12502 SH e-Drive MAN TGM 18.320 4x2 BL



CH

- Cabin color: Traffic White RAL9016 / Chassis

color: Graphite Black RAL9011

- Electric and compressed air hanger supply

- RINGFEDER trailer coupling type 4040 / G150B

CH

Manufacturer	Palfinger	Lifting moment	11,4 mt
Model	PK 12502 SH	Outreach / Lifting power	9,7m / 1.040 Kg
Construction year	2022	Max outreach	9,7 m
Produttore	MAN	Assi	4x2
Anno di costruzione	2022	PTT	18.000 Kg
Cabina	CC	Dead weight	10.000 Kg
Passo	3.900 mm	Payload	8.000 Kg
Potenza	320 HP	Payload category	6t - 15t
Emissioni	EURO 6e	Construction	Gru e cassone ribaltabile