

CH

MAN

**PK 135.002 TEC7**

**TGS 35.540 8X2H-6 BL CH**

NUMERO DI CONTRATTO: PALDRIVE 539

NUOVO

DISPONIBILE



## SPECIFICHE

**MAN + PK 58.002 TEC 7 +  
PALFINGER Installation**

**Available from week 36/2023**

**All pictures taken from a reference project**

### Crane: PK 58.002 TEC7

- Hydraulic 7-fold extension
- High-speed extension system with return oil recovery
- Swivel range endless
- Hydraulic support leg extension (max. support width 7.800 mm)
- Additional hydraulic support (support width ca. 4.400 mm)
- Support legs can be swiveled hydraulically through 180 °

## INFORMAZIONI OFFERTA

Dettagli sulla posizione

MAN Trucks & BUS SE, 80995 - Germania 

Dettagli dealer

Palfinger EMEA GmbH PL **PALFINGER**

Disponibilità

Disponibile

Tipologia di prodotto

Nuovo

Numero di contratto

Paldrive 539

Email del venditore

[sales@palfinger.com](mailto:sales@palfinger.com)

Telefono del venditore

**004366488345792**

## CH

---

- Paltronic 150
- HPSC + LOAD
- PALCOM P7 radio remote control/ 8 functions  
with linear levers
- Painting RAL3020
- Working lights on the articulated arm and on the  
fly-Jib
- Hose equipment for two additional devices  
including quick coupling  
(multi-faster)
- 3,5t- cable winch on the main arm (hydr.  
foldable), cable length: 90m
- Synchron control rope winch (SRC)
- 11 to/25 to load hook

### **Accessory: PJ150E (additional knuckle arm)**

- Hydraulic 6-fold extension
- Can be folded upwards hydraulically by 25 °
- Applications with additional devices possible  
(e.g. gripper, rotator ...)  
including quick coupling (multi-faster)

### **Platform:**

- Inner dimensions: 2480 x 6300 mm
- Front wall: height 1600 mm
- Side- and rearwalls height: 400 mm
- Platform floor 27 mm plywood, impregnated  
and sealed

### **Chassis: MAN TGS 35.510 8x4H-6 BL**

CH

- 
- 510PS , max. 2.600Nm
  - Automatic drive, MAN TipMatic 12.28 OD
  - Leaf suspension on front axles, air suspension on rear axles
  - Fuel tank 390l / AD-Blue tank 35l
  - Tyres rear axle 315/65R22,5
  - Tyres front axle 385/65R22.5
  - Cabin colour: RAL 9016 traffic white / chassis colour: RAL9011  
graphite black




PK 135.002 TEC7 MAN TGS 35.540 8x2H-6 BL  
CH

|                     |                                |                          |                          |
|---------------------|--------------------------------|--------------------------|--------------------------|
| Manufacturer        | Palfinger                      | Lifting moment           | 109,3 mt                 |
| Model               | PK 135.002 TEC7                | Outreach / Lifting power | 32,0 m / 1.280 kg        |
| Construction year   | 2024                           |                          |                          |
| Produttore          | MAN                            | Assi                     | 8x2*6                    |
| Anno di costruzione | 2025                           | PTT                      | 32.000 kg                |
| Cabina              | TM                             | Dead weight              | 29.900 kg                |
| Passo               | 1.795 mm + 2.980 mm + 1.350 mm | Payload                  | 2.100 kg                 |
| Potenza             | 540 PS                         | Payload category         | <6t                      |
| Emissioni           | EURO 6                         | Construction             | Gru per impieghi pesanti |

Konstruktionsänderungen vorbehalten, fertigungstechn. Toleranzen müssen berücksichtigt werden.

Krandarstellung symbolisch



Zulässige Traglasten für Seilwinde siehe Datenblatt


Seite 020.21000 3.5t

Konstruktionsänderungen vorbehalten, fertigungstechn. Toleranzen müssen berücksichtigt werden.

Krandarstellung symbolisch

# DPS-C

Dual Power System



:Eigengewicht JV2  
75 kg

Die Tragkräfte laut Diagramm verringern sich bei Verwendung von mechanischen Verlängerungen um deren Eigengewicht.  
Die Tragkräfte laut Diagramm verringern sich bei Verwendung von Schlauchausrüstung am Fly-Jib.



Zulässige Traglasten für Seilwinde siehe Datenblatt

Seite 020.21000 3.5t